422272



# **GOJO® Original Pumice Hand Cleaner**

ersion 1.1	SDS Number: 400000005409	Revision Date: 02/28/2018
ECTION 1. IDENTIFICATION		
Product name	: GOJO® Original Pumice Hand	Cleaner
Manufacturer or supplier's	details	
Company name of supplier	: GOJO Industries, Inc.	
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887	: Outside USA & CANADA
Recommended use of the o	hemical and restrictions on use	
Recommended use	: Skin-care	

Restrictions on use	:	This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information
		provided on the package or instruction sheet.

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage	: Category 1
GHS label elements Hazard pictograms	
Signal word	: Danger
Hazard statements	: H318 Causes serious eye damage.



Version 1.1	SDS Number: 400000005409	Revision Date: 02/28/2018
Precautionary statements	<ul> <li>Prevention: P280 Wear eye protection/ face Response: P305 + P351 + P338 + P310 IF water for several minutes. Rem and easy to do. Continue rinsin CENTER or doctor/ physician.</li> </ul>	IN EYES: Rinse cautiously with ove contact lenses, if present
Other hazards		

## Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Mineral Oil (Paraffinum Liquidum)	8042-47-5	>= 30 - < 50
Trideceth-9	24938-91-8	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 - < 1
Chloroxylenol	88-04-0	>= 0.1 - < 1

### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Seek medical advice.</li> </ul>
If swallowed	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>Rinse mouth with water.</li> <li>Obtain medical attention.</li> </ul>
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

### **SECTION 5. FIREFIGHTING MEASURES**



Version 1.1	SDS Number: 400000005409	Revision Date: 02/28/2018
Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)	
Unsuitable extinguishing media	: None known.	
Hazardous combustion products	: Carbon oxides	
Specific extinguishing methods	: Use extinguishing measures the circumstances and the surround Use water spray to cool unopen	ding environment.
Further information	: Collect contaminated fire exting must not be discharged into dra Fire residues and contaminated be disposed of in accordance w	ins. fire extinguishing water must
Special protective equipment for firefighters	: In the event of fire, wear self-co Use personal protective equipm	

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation.</li> <li>Evacuate personnel to safe areas.</li> <li>Keep people away from and upwind of spill/leak.</li> <li>Material can create slippery conditions.</li> </ul>
Environmental precautions	<ul> <li>Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8.
	Do not swallow.
	Avoid contact with eyes.
	Keep container closed when not in use.



Version 1.1	SDS Number: 400000005409	Revision Date: 02/28/2018
Conditions for safe storage	: Keep in properly labelled contain Keep container tightly closed in a place. Store in accordance with the part	dry and well-ventilated

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Mineral Oil (Paraffinum Liquidum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL

### Components with workplace control parameters

### Personal protective equipment

Respiratory protection	No personal respiratory protective equipment normally required.	
Hand protection Remarks	No special protective equipment required.	
Eye protection	Wear face-shield and protective suit for abnormal proce problems.	ssing
Skin and body protection	No special measures necessary provided product is use correctly.	€d
Protective measures	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, an the specific work-place. Ensure that eye flushing systems and safety showers an located close to the working place.	
Hygiene measures	Handle in accordance with good industrial hygiene and spractice. Avoid contact with eyes.	safety

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: opaque, yellow
Odour	: like fruit



Version 1.1	SDS Number: 400000005409	Revision Date: 02/28/2018
Odour Threshold	: No data available	
рН	: 7 - 8, (20 °C)	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: 98 °C	
Flash point	: >100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.883 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is no	ot classified self-reactive.
Viscosity Viscosity, kinematic	: > 100000 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	ot classified as oxidizing.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Conditions to avoid	: No data available
Incompatible materials	: Strong oxidizing agents



rsion 1.1	SDS Number: 400000005409	Revision Date: 02/28/20
Hazardous decomposition products	: No hazardous decomposition	products are known.
CTION 11. TOXICOLOGICA	L INFORMATION	
Information on likely rout	tes of exposure	
Inhalation		
Eye contact Skin contact		
Acute toxicity		
Not classified based on ava	ailable information	
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,00	0 ma/ka
Active of all toxicity	Method: Calculation method	
Components:		
Mineral Oil (Paraffinum L		
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l	
	Exposure time: 4 h	
	Test atmosphere: dust/mist Assessment: The substance or	mixture has no acute
	inhalation toxicity	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg	
	Assessment: The substance or toxicity	mixture has no acute derma
Trideceth-9:		
Acute oral toxicity	: LD50 (Rat): > 500 - < 2,000 mg	g/kg
Propylene Glycol:		
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rabbit): > 159 mg/l, > 5	1091 ppm
	Exposure time: 4 h	
	Test atmosphere: dust/mist Assessment: The substance or	mixture has no acute
	inhalation toxicity	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg	
· · · · · · · · · · · · · · · · · · ·	Assessment: The substance or toxicity	mixture has no acute derma
Sodium Hydroxymethylg	lycinate:	
Acute oral toxicity	: LD50 (Rat): 1,050 mg/kg	



<ul> <li>: LC50 (Rat): &gt; 6.29 mg/l Test atmosphere: dust/mist</li> <li>: LD50 (Rat): &gt; 2,000 mg/kg</li> </ul>	
Test atmosphere: dust/mist : LD50 (Rat): > 2,000 mg/kg able information.	
: LD50 (Rat): > 2,000 mg/kg able information.	
able information.	
uidum):	
uldum):	
ne 404	
cinate:	
sed classification in FLI regulation 12	72/2008 Annex \/I
	.12/2000, 74110X 11
itation	
uidum):	
-	
the eye	
ne 405	
cinate:	
ersing within 21 days	
	uidum): the eye e 405 <b>cinate:</b>

Chloroxylenol: Result: Irreversible effects on the eye



Version 1.1

SDS Number: 40000005409

Revision Date: 02/28/2018

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

### Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

#### Components:

#### Mineral Oil (Paraffinum Liquidum):

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Result: negative

#### Propylene Glycol:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

### Sodium Hydroxymethylglycinate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

#### Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

#### Germ cell mutagenicity

Not classified based on available information.

### Components:

Mineral Oil (Paraffinum Liquidu	ım):
Genotoxicity in vitro :	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials
Propylene Glycol:	
Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo :	Test Type: In vivo micronucleus test Test species: Mouse



sion 1.1	SDS Number: 400000005409	Revision Date: 02/28/2	
	Application Route: Intraperitone Result: negative	al injection	
Sodium Hydroxymethylg	lycinate:		
Genotoxicity in vitro	: Test Type: Bacterial reverse mu Result: negative	utation assay (AMES)	
Genotoxicity in vivo	: Test Type: Unscheduled DNA s mammali an liver cells in vivo Test species: Rat Result: negative	Test species: Rat	
Chloroxylenol:			
Genotoxicity in vitro	: Test Type: Bacterial reverse mu Result: negative	utation assay (AMES)	
Carcinogenicity			
Not classified based on available	ailable information.		
<u>Components:</u> <u>Mineral Oil (Paraffinum L</u> Species: Rat Application Route: Ingestic Exposure time: 24 Months Result: negative			
<b>Propylene Glycol:</b> Species: Rat Application Route: Ingestic Exposure time: 2 Years Result: negative	n		
IARC	No component of this product pres equal to 0.1% is identified as proba human carcinogen by IARC.		
OSHA	No component of this product pres equal to 0.1% is identified as a car carcinogen by OSHA.		
NTP	No component of this product pres equal to 0.1% is identified as a kno by NTP.		
<b>Reproductive toxicity</b> Not classified based on available	ailable information.		
Components:			
	iquidum):		



sion 1.1	SDS Number: 400000005409	Revision Date: 02/28/2018
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative	lopment
<b>Propylene Glycol:</b> Effects on fertility	: Species: Mouse Application Route: Ingestion Result: negative	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Mouse Application Route: Ingestion Result: negative	lopment
Sodium Hydroxymethyl Effects on foetal development	glycinate: : Species: Rat Application Route: Ingestion Result: negative	
STOT - single exposure Not classified based on a		
STOT - repeated exposi		
Not classified based on a		
Repeated dose toxicity		
Components: Mineral Oil (Paraffinum Species: Rat LOAEL: 160 mg/kg Application Route: Ingest Exposure time: 90 d		
Species: Rat LOAEL: >= 1 mg/l Application Route: inhalar Exposure time: 4 w Method: OECD Test Guid	х, , , , , , , , , , , , , , , , , , ,	
<b>Propylene Glycol:</b> Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingest Exposure time: 2 y	ion	
<b>Chloroxylenol:</b> Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin c Exposure time: 90 d	ontact	

## Aspiration toxicity

Not classified based on available information.



Version 1.1

SDS Number: 40000005409

Revision Date: 02/28/2018

## Components:

### Mineral Oil (Paraffinum Liquidum):

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

<u>Components:</u> Mineral Oil (Paraffinum Liquidum):			
Toxicity to fish	<ul> <li>LC50 (Oncorhynchus mykiss (rainbow trout)): &gt; 100 mg/l</li> <li>Exposure time: 96 h</li> <li>Method: OECD Test Guideline 203</li> </ul>		
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202		
Toxicity to algae	<ul> <li>NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201</li> </ul>		
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d		
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 21 d		
Trideceth-9: Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l Exposure time: 96 h		
Toxicity to daphnia and other aquatic invertebrates	: EC50: > 1 - 10 mg/l Exposure time: 48 h		
Toxicity to algae	: EC50: > 1 - 10 mg/l Exposure time: 72 h		
<b>Propylene Glycol:</b> Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h		
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l Exposure time: 48 h		
Toxicity to algae	<ul> <li>EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 201</li> </ul>		
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d		



sion 1.1	SDS Number: 40000005409 Revision Date: 02/2	28/20
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l Exposure time: 7 d	
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h	
Sodium Hydroxymethylglyc Toxicity to fish	ate: : LC50: > 10 - 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): > 10 - 100 mg/l Exposure time: 48 h	
Toxicity to algae	<ul> <li>ErC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): &gt; 10 - 100 mg/l</li> <li>Exposure time: 72 h</li> </ul>	
Toxicity to bacteria	: EC50: > 100 mg/l Exposure time: 120 h	
Chloroxylenol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h	
M-Factor (Acute aquatic toxicity)	: 1	
Persistence and degradabili		
Components:		
Mineral Oil (Paraffinum Liqu Biodegradability	<ul> <li>Image: Result: Not readily biodegradable.</li> <li>Biodegradation: 31 %</li> <li>Exposure time: 28 d</li> </ul>	
Trideceth-9: Biodegradability	: Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d	
Propylene Glycol: Biodegradability	<ul> <li>Result: Readily biodegradable.</li> <li>Biodegradation: 98.3 %</li> <li>Exposure time: 28 d</li> <li>Method: OECD Test Guideline 301F</li> </ul>	



ersion 1.1	SDS Number: 400000005409	Revision Date: 02/28/201
Bioaccumulative potential		
Components:		
<b>Propylene Glycol:</b> Partition coefficient: n- octanol/water	: log Pow: -1.07	
Sodium Hydroxymethylglyc		
Partition coefficient: n- octanol/water	: log Pow: < 3	
<b>Chloroxylenol:</b> Partition coefficient: n- octanol/water	: log Pow: 3.27	
Mobility in soil		
No data available		
Other adverse effects		
No data available		
Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, n Class I or Class II ODS as defin Section 602 (40 CFR 82, Subpt	ed by the U.S. Clean Air Act

### SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> </ul>

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good National Regulations

### **49 CFR** Not regulated as a dangerous good



Version 1.1

SDS Number: 40000005409

Revision Date: 02/28/2018

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium Hydroxide	1310-73-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Propylene Glycol 57-55-6

1.8603 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

### **Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

#### Massachusetts Right To Know

Mineral Oil (Paraffinum Liquidum) Sodium Hydroxymethylglycinate	8042-47-5 70161-44-3	30 - 50 % 0.1 - 1 %			
Pennsylvania Right To Know					
Mineral Oil (Paraffinum Liquidum)	8042-47-5	30 - 50 %			
Water (Aqua)	7732-18-5	30 - 50 %			
Oleic Acid	112-80-1	5 - 10 %			
Pumice	1332-09-8	5 - 10 %			
Trideceth-9	24938-91-8	1 - 5 %			
Propylene Glycol	57-55-6	1 - 5 %			
Sodium Hydroxide	1310-73-2	0.1 - 1 %			
Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %			



00000001						
Version 1.1		SDS Number: 40000005409 Revision Date: 02/28/201				
New Jersev	Right To Know					
· · · · · · · · · · · · · · · · · · ·	•	Paraffinum Liquidum)	8042-47-5	30 - 50 %		
	Water (Aqua)	• •	7732-18-5	30 - 50 %		
	Oleic Acid	·	112-80-1	5 - 10 %		
	Pumice		1332-09-8	5 - 10 %		
	Trideceth-9		24938-91-8	1 - 5 %		
	Propylene GI	ycol	57-55-6	1 - 5 %		
	Sodium Hydr	oxymethylglycinate	70161-44-3	0.1 - 1 %		
California Pr	rop 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.			
<b>The compon</b> TSCA	ents of this pro	duct are reported in the follow : On TSCA Inventory	ving inventories:			
AICS		: On the inventory, or in com	pliance with the ir	iventory		
DSL		: On the inventory, or in com	: On the inventory, or in compliance with the inventory			
ENCS		: On the inventory, or in compliance with the inventory				
ISHL		: On the inventory, or in compliance with the inventory				
KECI		: On the inventory, or in com	pliance with the ir	iventory		
PICCS		: On the inventory, or in com	pliance with the in	iventory		
IECSC		: On the inventory, or in com	pliance with the in	iventory		
NZIoC		: On the inventory, or in com	pliance with the ir	iventory		

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version 1.1

SDS Number: 40000005409

Revision Date: 02/28/2018

### **SECTION 16. OTHER INFORMATION**

### **Further information**



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Revision Date

: 02/28/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.