# 422274



# GOJO® NATURAL\* ORANGE™ Smooth Hand Cleaner

Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

#### **SECTION 1. IDENTIFICATION**

Product name : GOJO® NATURAL\* ORANGE™ Smooth Hand Cleaner

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500

Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone

number

: 1-800-424-9300 CHEMTREC

#### Recommended use of the chemical and restrictions on use

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or

instruction sheet.

## **SECTION 2. HAZARDS IDENTIFICATION**

## **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

## **Hazardous components**

Chemical name	CAS-No.	Concentration (%)
Petroleum Distillates	64742-47-8	>= 5 - < 10
Limonene	5989-27-5	>= 0.1 - < 1



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

**SECTION 4. FIRST AID MEASURES** 

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

If swallowed, DO NOT induce vomiting.

Rinse mouth with water. Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

: None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

: None known.

Hazardous combustion prod-

ucts

: Carbon oxides

Specific extinguishing meth-

ods

: Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Ensure adequate ventilation.
Evacuate personnel to safe areas.

Material can create slippery conditions.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Do not swallow.

Avoid contact with eyes.

Keep container closed when not in use.

Conditions for safe storage : Keep in properly labelled containers.

Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with the particular national regulations.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Petroleum Distillates	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3	ACGIH
			(as total hydro-	
			carbon vapor)	
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Limonene	5989-27-5	TWA	20 ppm	ACGIH

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Eye protection : No special protective equipment required.

Wear face-shield and protective suit for abnormal processing

problems.



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

Skin and body protection : No special protective equipment required.

Protective measures : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : opaque, white, grey

Odour : citrus

Odour Threshold : No data available

pH : 6 - 8, (20 °C)

Melting point/range : 11.4 °C

Initial boiling point and boiling

range

: 95 °C

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.9758 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Thermal decomposition : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 10000 - 45000 mm2/s (20 °C)



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: No dangerous reaction known under conditions of normal use.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Eye contact Skin contact

## **Acute toxicity**

Not classified based on available information.

## Components:

#### **Petroleum Distillates:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Limonene:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

## Skin corrosion/irritation

Not classified based on available information.



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

#### Components:

#### **Petroleum Distillates:**

Assessment: Repeated exposure may cause skin dryness or cracking.

Limonene: Species: Rabbit Result: Skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

## **Components:**

#### Petroleum Distillates:

Species: Rabbit

Result: No eye irritation

# Limonene:

Species: Rabbit

Result: No eye irritation

## Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

#### <u> Product:</u>

Assessment: Does not cause skin sensitisation.

## **Components:**

#### **Petroleum Distillates:**

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

## Limonene:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

## Germ cell mutagenicity

Not classified based on available information.

## **Components:**

## **Petroleum Distillates:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Test species: Rat

Application Route: Intraperitoneal injection



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

Result: negative

Remarks: Based on data from similar materials

Limonene:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Transgenic rodent somatic cell gene mutation as-

say

Test species: Rat

**Application Route: Ingestion** 

Result: negative

## Carcinogenicity

Not classified based on available information.

## **Components:**

Limonene: Species: Mouse

Species: Mouse

Application Route: Ingestion Exposure time: 103 weeks

Result: negative

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

## Reproductive toxicity

Not classified based on available information.

#### Components:

**Petroleum Distillates:** 

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

**Application Route: Ingestion** 

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

: Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

## STOT - single exposure

Not classified based on available information.



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

#### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

## **Components:**

#### **Petroleum Distillates:**

Species: Rat

NOAEL: > 10.4 mg/l

Application Route: inhalation (vapour)

Exposure time: 90 d

Remarks: Based on data from similar materials

### Limonene:

Species: Rat NOAEL: 600 mg/kg

Application Route: Ingestion

Exposure time: 13 w

## **Aspiration toxicity**

Not classified based on available information.

## **Components:**

#### **Petroleum Distillates:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Limonene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

#### **Components:**

## **Petroleum Distillates:**

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 250 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EL50 (Acartia tonsa): > 3,193 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae : EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

NOELR (Skeletonema costatum (marine diatom)): 993 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOELR (Ceriodaphnia Dubia (water flea)): > 70 mg/l

Exposure time: 8 d

Test substance: Water Accommodated Fraction

Toxicity to bacteria : EC50: > 100 mg/l

Exposure time: 3 h

Limonene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.72 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.36 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

: 1

## Persistence and degradability

## **Components:**

**Petroleum Distillates:** 

Biodegradability : Result: Readily biodegradable.

Biodegradation: 82 % Exposure time: 24 d

Method: OECD Test Guideline 301F

Limonene:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 80 % Exposure time: 28 d

Remarks: Based on data from similar materials

#### Bioaccumulative potential

#### **Components:**

Limonene:

Partition coefficient: n-

octanol/water

: log Pow: 4.38

Mobility in soil

No data available

Other adverse effects

No data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

**National Regulations** 

49 CFR

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting re-

guirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).



Version 0.0 SDS Number: 400000000196 Revision Date: 10/19/2016

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450

#### **Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## **US State Regulations**

**Massachusetts Right To Know** 

Petroleum Distillates 64742-47-8 5 - 10 %

Pennsylvania Right To Know

Water (Aqua) 7732-18-5 90 - 100 % Petroleum Distillates 64742-47-8 5 - 10 %

**New Jersey Right To Know** 

Water (Aqua) 7732-18-5 90 - 100 % Petroleum Distillates 64742-47-8 5 - 10 %

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other re-

productive harm.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

CH INV : On the inventory, or in compliance with the inventory

AICS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL.

ENCS : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Revision Date: 10/19/2016 SDS Number: 40000000196 Version 0.0

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

# NFPA: Flammability Instability Health

Special hazard.

## HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

**Revision Date** : 10/19/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.