524302

MATERIAL SAFETY DATA SHEET

PART# 61463687770

DATE PRINTED: JUN 02, 2004

MSDS NO. ALT003 White Mineral Oil OUTBOUND

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

PRODUCT NAME White Mineral Oil TRADE NAME XB-1 MANUFACTURER (4) Saint-Gobain Abrasives Inc. 390 Highland Avenue Littleton, NH 03561 (603) 444-3947 REVISION DATE 6/02/2004 MSDS PRINT FORMAT NUSA

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE	DESCRIPTION	PERCENT	CAS#	

Hydrocarbons, mineral oil

100.000 8042-47-5

OTHER

This product is a fully refined white mineral oil meeting the requirements of the National Formulary XVII and the requirements of the Food and Drug Administration as per 21 CFR 172.878. May contain up to 10ppm Tocopherols as stablizer.

SECTION 3. HAZARDS IDENTIFICATION

INHALATION ACUTE EXPOSURE EFFECTS
Oil mist may cause discomfort.
INHALATION CHRONIC EXPOSURE EFFECTS
EYE CONTACT ACUTE EXPOSURE EFFECTS
May irritate eyes.
SKIN CONTACT ACUTE EXPOSURE EFFECTS
Some may experience skin irritation
INGESTION ACUTE EXPOSURE EFFECTS
Ingestion should be avoided.

SECTION 4. FIRST AID MEASURES

INHALATION

Remove to fresh air. Artificial respiration as needed. Obtain medical assistance.

SKIN CONTACT

Wash affected areas with soap and water. Obtain medical assistance, if needed.

EYE CONTACT

Wash with large amounts of water. Obtain first aid and medical assistance, if needed.

INGESTION

OTHER

Obtain medical assistance.

SECTION 5. FIRE FIGHTING MEASURES

FIRE FIGHTING PROCEDURES
Use self-contained breathing apparatus.
HAZARDOUS PRODUCTS/COMBUSTION
None.
HAZARD RATING SOURCE
HMIS
HEALTH
1
FLAMMABILITY
1
REACTIVITY
0

SECTION 6. ACCIDENTAL RELEASE MEASURES

CLEAN-UP

Prevent contamination of of sewers, streams and groundwater with spilled material or used absorbant.

SECTION 7. HANDLING AND STORAGE

HANDLING

Keep away from heat, sparks or open flames. Store at temperatures below 120F.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION PROTECTION
Handle with adequate ventilation. See OSHA 29 CFR 1910.94
(ventilation) and 29 CFR 1910.1000 (Air contaminants).
RESPIRATORY PROTECTION
As needed, approved dust respirators. See OSHA 29CFR 1910.134.
EYE PROTECTION
Recommended. See OSHA 29 CFR 1910.133.
OTHER PROTECTION
Not Applicable

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR Colorless, odorless liquid.

SECTION 10. STABILITY AND REACTIVITY

INCOMPATIBILITIES
Avoid strong oxidizing agents.
DECOMPOSITION
Will decompose into hydrocarbon by-products. CO & CO2 are generated upon combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY
Not Applicable
LD50/LC50
Values are not established.

SECTION 12. ECOLOGICAL INFORMATION

CHEMICAL FATE
Not Applicable

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL Dispose of in accordance with federal, state, and local regulations.

SECTION 14. TRANSPORT INFORMATION

HAZARD CLASS
This product is not hazardous as defined by the Department of
Transportation.(USA)
This product is "Not Regulated" under the Transportation of Dangerous

SECTION 15. REGULATORY INFORMATION

EXPOSURE LIMITS/REGULATORY INFORMATION

SUBSTANCE DESCRIPTION UNITS OSHA ACGIH MOL

Hydrocarbons, mineral oil

MG/M3 0.0000 0.0000 0.0000

LEGEND:

EXPOSURE LIMIT DESCRIPTIONS

CA PROP 65

Not Applicable

TSCA

Section 8(b) - Inventory Status

All components of this product are registered under the regulations of the Toxic Substance Control Act.

DOMESTIC SUBSTANCE LIST

SECTION 16. OTHER INFORMATION

DISCLAIMER

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof; however, the Company makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

KEY TO ABBREVIATIONS:

EQ=EQual LT=Less Than GT=Greater Than
AP=APproximately TR=TRace ND=No Data available

=