SAFETY DATA SHEET

Issuing Date No data available **Revision Date** 3-May-2019 **Revision Number** 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier 360 - 364

Product Name ZAR® Interior Oil Modified Urethane Poly OMU

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Clear Wood Finish - Varnish

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

United Gilsonite Laboratories

1396 Jefferson Ave.

Dunmore PA

18509 US

Phone:570-344-1202 Fax:570-969-7634 Email:sales@ugl.com

Contact Phone 570-344-1202

Emergency telephone number (800) 424-9300 Chemtrec

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Inhalation (Vapors)	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger

Hazard statements
Toxic if inhaled
Causes skin irritation
Causes serious eye irritation

Appearance Translucent White

Physical State Liquid

Odor Amine

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

To avoid spontaneous combustion during temporary storage, soak soiled rags and waste immediately after use in a water filled, closed metal container.

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

∟yes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not Applicable

Unknown Toxicity

31% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available.

<u>Interactions with Other Chemicals</u> Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
2-Propanol, 1-(2-butoxy-1-methylethoxy)-	29911-28-2	3 - 7	*
Triethylamine	121-44-8	1 - 5	*
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	*
Propylene Glycol	57-55-6	1 - 5	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if applicable, and continue flushing. Do

not rub affected area. If symptoms persist, call a physician.

Skin ContactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Inhalation Move to fresh air. If breathing has stopped, contact emergency medical services immediately.

Immediate medical attention is required. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus Administer oxygen if breathing is difficult and you

are trained. Get medical attention immediately if symptoms occur.

Ingestion Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never

give anything by mouth to an unconscious person. Call a physician or Poison Control Center

immediately.

Protection of First-aiders Avoid contact with skin, eyes and clothing. Use personal protective equipment. For personal

protection see Section 8. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. No artificial respiration, mouth-to-mouth or mouth

to nose. Use suitable instruments/apparatus

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Uniform Fire Code Irritant: Liquid

Toxic: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No

Sensitivity to Static Discharge No

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsAvoid contact with skin, eyes and clothing. Ensure adequate ventilation. Use personal

protective equipment. Do not breathe vapors or spray mist. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

eyes and clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Prevent breathing of mist or vapors. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or

provide appropriate exhaust ventilation at machinery.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked-up. Keep

out of the reach of children.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethylamine	STEL: 3 ppm	TWA: 25 ppm	IDLH: 200 ppm
121-44-8	TWA: 1 ppm	TWA: 100 mg/m ³	
	S*	(vacated) TWA: 10 ppm	
		(vacated) TWA: 40 mg/m ³	
		(vacated) STEL: 15 ppm	
		(vacated) STEL: 60 mg/m ³	
Dipropylene glycol	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
monomethyl ether	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
34590-94-8	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	
		(vacated) S*	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear: Safety glasses with side-shields. None required for

consumer use.

Skin and Body Protection Wear protective gloves/clothing. Long sleeved clothing. Impervious gloves.

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

eyes and clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Do not breathe vapors or spray mist Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the

workplace. Provide regular cleaning of equipment, work area and clothing. Wash hands before

None known

None known

breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Liquid

Appearance Translucent White Odor Amine

Color No information available Odor Threshold No information available

Property Remarks/ Method Values Ha None known Melting/freezing point No data available None known **Boiling Point/Range** 100°C / 212°F None known **Flash Point** None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air Upper flammability limit No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Soluble in water. None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known Autoignition temperature No data available None known **Decomposition temperature** No data available None known

Kinematic viscosityNo data availableDynamic viscosityNo data availableExplosive PropertiesNo data availableOxidizing PropertiesNo data available

Other Information

Softening Point No data available VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation There is no data available for this product. May cause irritation of respiratory tract. Toxic by

inhalation. (based on components)

Eye ContactThere is no data available for this product. Expected to be an irritant based on components.

Irritating to eyes. May cause redness, itching, and pain. May cause temporary eye irritation.

Skin ContactThere is no data available for this product. Expected to be an irritant based on components.

Irritating to skin. Prolonged contact may cause redness and irritation.

Ingestion There is no data available for this product. Ingestion may cause irritation to mucous

membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Propanol, 1-(2-butoxy-1-methylethoxy)- 29911-28-2	-	-	> 2.04 mg/L (Rat) 4 h = 42.1 ppm (Rat) 4 h
Γriethylamine I 21-44-8	= 460 mg/kg (Rat)	= 416 mg/kg (Rabbit)	= 3496 ppm (Rat) 1 h = 0.42 mg/L (Rat) 1 h
Dipropylene glycol monomethyl ether 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Propylene Glycol 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms Redness of the skin. May cause redness and tearing of the eyes. Coughing and/ or wheezing.

Difficulty in breathing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

TEST AGHS1110117 - ZAR® Interior Oil Modified Urethane Poly OMU

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity No information available STOT - single exposure No information available. STOT - repeated exposure No information available.

No known effect based on information supplied. Effects from this product caused by acute **Chronic Toxicity**

exposure may cause permanent damage to target organs and/or may cause chronic

conditions. May cause adverse liver effects. Carcinogenic potential is unknown.

Target Organ Effects Respiratory system. Eyes. Skin. Systemic Toxicity. Central nervous system (CNS). Central

Vascular System (CVS). Kidney. Liver.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,220.00 mg/kg ATEmix (dermal) 13,554.00 mg/kg (ATE) ATEmix (inhalation-dust/mist)

17.28 mg/L

ATEmix (inhalation-vapor)

5.56ATEmix

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR

261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of in accordance with local regulations.

US EPA Waste Number U404

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Triethylamine	U404	Included in waste streams:		U404
121-44-8		K156, K157		

California Hazardous Waste Codes 331

14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name Non regulated

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name Non regulated

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Triethylamine - 121-44-8	121-44-8	1 - 5	1.0
Dipropylene glycol monomethyl ether - 34590-94-8	34590-94-8	1 - 5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Triethylamine 121-44-8	5000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Triethylamine 121-44-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Triethylamine	Χ	X	X
121-44-8			
Tripropylene glycol monomethyl ether			X
25498-49-1			
Dipropylene glycol monomethyl ether	Χ	X	X
34590-94-8			
Propylene Glycol	X		X
57-55-6			

International Regulations

Mexico - Grade No information available.

Chemical Name	Carcinogen Status	Exposure Limits
Triethylamine		Mexico: TWA 25 ppm
•		Mexico: TWA 100 mg/m ³
		Mexico: STEL 40 ppm
		Mexico: STEL 160 mg/m ³

Chemical Name	Carcinogen Status	Exposure Limits
Dipropylene glycol monomethyl ether		Mexico: TWA 100 ppm
		Mexico: TWA 60 mg/m ³
		Mexico: STEL 150 ppm
		Mexico: STEL 900 mg/m ³
Propylene Glycol	-	-

Canada WHMIS Hazard Class D2B Toxic materials



16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 0 Instability 0 Physical and Chemical

Hazards -

HMIS Health Hazard 2 Flammability 0 Physical Hazard 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 03-Jan-2014

Revision Note No information available

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet