

Safety Data Sheet

Issue Date: 01-Sep-2012 Revision Date: 23-Aug-2018 Version 4

1. IDENTIFICATION

Product Identifier

Product Name Slide Quick Paintable Mold Release

Other means of identification

SDS # 44712E

Product Code 44712E UN/ID No UN1950

Recommended use of the chemical and restrictions on use

Recommended Use Industrial mold release.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, oily, colorless liquid Physical State Aerosol Odor Slight odor

Classification

| Skin corrosion/irritation | Category 2 |
|----------------------------------------------------|----------------|
| Serious eye damage/eye irritation | Category 2 |
| Reproductive toxicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 2 |
| Flammable Aerosols | Category 2 |
| Gases Under Pressure | Compressed Gas |

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Danger

Hazard Statements

Causes skin irritation

Causes serious eye irritation

May damage fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

Flammable Aerosol

Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. -No Smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Revision Date: 23-Aug-2018

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-----------------------------|-------------|----------|
| Dimethyl ether | 115-10-6 | 65-75 |
| 1-bromopropane | 106-94-5 | 25-35 |
| Paintable Silicone Fluid | Proprietary | 1-5 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get

medical advice/attention.

Skin Contact Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse. If skin irritation occurs: Get medical advice/ attention.

Inhalation

doctor/physician if you feel unwell.

Ingestion Do not induce vomiting. If conscious, give 1 glass of water or milk to dilute. Call a physician

or poison control center immediately.

Most important symptoms and effects

Symptoms Causes skin irritation. Causes serious eye irritation. Concentrated spray may cause

freezing of skin area. Skin contact can lead to drying, defatting, itching, stinging and irritation. Prolonged breathing of vapors may cause nausea, headache, weakness and/or

Remove to fresh air. Oxygen or artificial respiration if needed. Call a poison center or

Revision Date: 23-Aug-2018

dizziness. Irritating to mouth, throat, and stomach if ingested.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Pressurized container: May burst if heated. Vapors can form flammable mixtures in a narrow range of 4.6% to 8.5% by volume in air. Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Carbon oxides. Hydrogen bromide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Remove all sources of ignition.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do

not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not smoke. Keep away from heat/sparks/open flames/hot surfaces.

— No smoking. Do not drop, puncture, or incinerate. Do not spray on floors.

44612E - Slide Quick Silicone MR Revision Date: 01-Jan-2015

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Incompatible Materials Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chen | nical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------|----------------------|-------------|----------|------------|
| | mopropane 06-94-5 | TWA: 10 ppm | - | - |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol

AppearanceClear, oily, colorless liquidOdorSlight odorColorClear ColorlessOdor ThresholdNot determined

Property Values Remarks • Method

pH Not determined Melting Point/Freezing Point < -45 _C / <-50 °F

Boiling Point/Boiling Range

Flash Point

Not available

Not available

Flash Point Not available Evaporation Rate Not available

Flammability (Solid, Gas) Non-flammable aerosol

Upper Flammability LimitsNot determinedLower Flammability LimitNot determinedVapor Pressure139 mmHg @ 70_FVapor DensityNot available

Specific Gravity 0.78 (Water = 1)

Water Solubility Not soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined **Bulk Density** 6.52 lb/gal @ 60_F

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Do not puncture or incinerate cans. High heat or open flames.

Incompatible Materials

Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

Hazardous Decomposition Products

Carbon oxides. Hydrogen bromide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------------|----------------------|---------------------|---------------------------------------|
| Dimethyl ether 115-10-6 | - | - | = 308.5 mg/L (Rat) 4 h |
| 1-bromopropane 106-94-5 | = 3600 mg/kg (Rat) | - | = 253 g/m ³ (Rat) 30 min |
| Polydimethylsiloxane 63148-62-9 | > 17 g/kg (Rat) | > 2 g/kg (Rabbit) | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Page 5 / 8

44612E - Slide Quick Silicone MR Revision Date: 01-Jan-2015

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|----------------|----------------------|--------------------------|----------------|-----------|
| | | | microorganisms | |
| 1-bromopropane | | 67.3: 96 h Pimephales | | |
| 106-94-5 | | promelas mg/L LC50 flow- | | |
| | | through | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|----------------------------|-----------------------|
| Dimethyl ether 115-10-6 | -0.18 |
| 1-bromopropane 106-94-5 | 2.1 |

Other Adverse Effects

Not determined

Ozone

Contains no ozone depleting chemicals

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT (each not exceeding 1 L capacity)

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

44612E - Slide Quick Silicone MR Revision Date: 01-Jan-2015

IATA

UN/ID No UN1950

Proper Shipping Name Aerosols, non-flammable

Hazard Class 2.1

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

| Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|----------------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Dimethyl ether | Present | Χ | | Present | | Present | X | Present | Χ | Х |
| 1-bromopropane | Present | Χ | | Present | | Present | Х | Present | Χ | Х |
| Polydimethylsiloxane | Present | Χ | | | | Present | Χ | Present | Χ | Х |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 |
|---------------------------|---------------------------|
| 1-bromopropane - 106-94-5 | Developmental |
| | Female Reproductive |
| | Male Reproductive |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------|------------|---------------|--------------|
| Dimethyl ether 115-10-6 | X | X | X |
| 1-bromopropane 106-94-5 | X | X | X |

16. OTHER INFORMATION

NFPA
Not determined
Physical Hazards
Personal Protection
B

Issue Date:01-Sep-2012Revision Date:23-Aug-2018Revision Note:Regulatory Update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 8 / 8